

SPECIAL PROMO BOILERS PROTECTION

Unit Price starting from **£ 2,09**



Art. C.095

Art. C.095 - Pack of 5 magnesium alloy sacrificial anodes for cathodic protection of heaters and hot water heaters

Art code	Diameter Ø	Connection thread	Length mm	Price £
C.095.16	16	M. 4 x 0,7	600	10,65
C.095.30	22	M. 8	300	10,45
C.095.40	22	M. 8	400	13,45
C.095.50	22	M. 8	500	16,85



Price
£ 13,85

Art. C.098.80

String of magnesium sacrificial anodes, with 3/4" M. plug. Length: 800 mm. Diameter of anode: 21 mm

For complex replacements due to lack of space



Price
£ 19,95

Art. C.085.03

DEPDIRTY magnetic dirt separator 3/4" in compact technopolymer suitable for installation below wall boilers, with attraction magnet and mud and dirt elimination in water circuits, with collection in special container to be periodically removed through drain tap.

Complete with removable ferromagnetic cartridge, pipe coupling with F. swivel, shut-off ball valve for an easy removal of residues without draining the system.



Price
£ 39,95

Art. C.200.01

Kit for boiler protection composed of:

- 1 polyphosphate dispenser with cartridge (Art. C.103.32)
- 1 dirt separator (Art. C.085.03)
- 1 acid neutraliser filter (Art. C.110.02)

Price
£ 14,95

Art. C.103.32



Polyphosphate dispenser complete with cartridge of 80 gr polyphosphate. With shutoff valve.

Limescale inhibitor. Brass connection Ø 1/2" F. swivel

Price
£ 3,75

Art. C.104.52

Pack of 6 cartridges polyphosphate 80 gr. for art. C.103.32



Price
£ 6,95

Art. C.110.02

Acid neutralising filter "Acidstop" for acidic condensate from domestic condensing boilers



Price
£ 20,95

Art. C.100



Price
£ 4,95

Art. C.101



Art. C.100 - Polyphosphate dispenser, limescale inhibitor

Brass connections - To be installed on cold water - Max pressure 6 bar.

Art code	Diameter Ø	Flow rate lt./h.	Price £
C.100.03	3/4" F.	700	20,95
C.100.20	1" F.	1.500	27,35

Art. C.101 - Limescale inhibitor polyphosphate pack.

Pack of	1/2 Kg.	2 Kg.	5 Kg.
Art code	C.101.12	C.101.02	C.101.00
Price £	4,95	14,95	33,95

SPARE MOTORS WITH PWM-MODULATED IMPELLER FOR DOMESTIC CIRCULATORS

Original Grundfos Standard **Original Grundfos FCI**



Art. P.170.01 Art. P.170.03

mm. (68)

Art. P.121

Price starting from £ 45,25

EI ≤ 0,21

Art. P.121 - Universal spare motor with impeller and frequency conversion inverter for replacements on domestic circulators GRUNDFOS and other brands with counter-clockwise rotation (CCW). With PWM control socket and equipped with SELF ADAPT, PP, CP, CS functions. Self-regulating with or without cable connection to PWM controller. 4-year warranty.

Original Wilo Standard **Original Wilo INT**



Art. P.170.00 Art. P.170.02



mm. (69)

Art. P.122

Price starting from £ 45,25



EI ≤ 0,21

Art. P.122 - Universal spare motor with impeller and frequency conversion inverter for replacements on domestic circulators WILLO and other brands with clockwise rotation (CW). With PWM control socket and equipped with SELF ADAPT, PP, CP, CS functions. Self-regulating with or without cable connection to PWM controller. 4-year warranty.

Art code	Type of connection	Price £
P.121.84	Terminal block type INT	45,25
P.121.81	 Grundfos Standard (P.170.01 included)	48,65
P.121.83	 Grundfos FCI (P.170.03 included)	48,65

Art. P.170 - Snap-fit terminal block with electric connections for spare motors Art. P.121 and P.122 - Protection IP44.

Art code	Type	Price £
P.170.00	Common Style Molex - FCI rectangular	3,50
P.170.01	Grundfos Standard Super Seal + Mini Super Seal	3,50
P.170.02	Wilo Standard Molex + FCI crescent-shaped	3,50
P.170.03	Grundfos FCI Super Seal + FCI crescent-shaped	3,50

Art code	Type of connection	Price £
P.122.84	Terminal block type INT	45,25
P.122.82	 Wilo Standard (P.170.02 included)	48,65
P.122.80	 Common Style (P.170.00 included)	48,65

SPARE PARTS FOR OLD-DESIGN CIRCULATORS WITH EEI > 0,23

N.B. These products are spare parts for circulators and are not subject to the European regulation prohibiting the distribution of circulators with an EEI < 0.23

Universal motors with spare turbine for domestic circulators

COUNTERCLOCKWISE ROTATION
For Grundfos and other brands



Price £ 26,95

Art. P.084.60

2 MODELS (CCW and CW) that allow interchangeability on almost every domestic circulator on the market. The speed selector allows to reach a head of 4, 5 and 6 meters.

P.084.60 - Universal spare motor with impeller for replacement on domestic circulators "GRUNDFOS," "ANTARES," and other brands. Comes with a set of gaskets screws. CCW rotation.

Distance between mounting holes mm 68. Comes with selectable speed controller, which allows to reach a head of 4, 5 and 6 meters. 230 Vac.

CLOCKWISE ROTATION
For Wilo and other brands



Price £ 26,95

Art. P.085.60

REPLACING THE MOTOR OFFERS MANY BENEFITS:


- Speed and ease due to the replacement of the motor only
- Less stocking and less fixed assets

P.085.60 - Universal spare motor with impeller for replacement on domestic circulators "WILLO," "WSC" and other brands. Comes with a set of gaskets and screws. CW rotation.

Distance between mounting holes mm 69. Comes with selectable speed controller, which allows to reach a head of 4, 5 and 6 meters. 230 Vac.

High-efficiency compact circulation pumps (EEI ≤ 0.21) with frequency modulation and PWM control

The MODULEX circulator, like all variable-frequency circulators, is designed through its electronic controller to automatically adapt to the system's requirements and to the number of heating emitters that are open or closed at any given time. By means of its inverter device, it increases or decreases the rotational speed and therefore the volume of water circulated, according to the system's instantaneous demand. It can be equipped with a PWM control input, which, when connected, it is controlled by the boiler control board, and if not connected, it still self-regulates according to the system's current operating requirements.



8 mt.

4-year warranty.

PWM

Price starting from **£ 53,95**

EEI ≤ 0,21

Energy Class A

PP
CP
CS
SA

4,1 m³/h

Art. P.110

Compatible and interchangeable with:
***All circulators with Energy Efficiency Class A**
 With and without PWM controller with reference to connection, Ø fitting and height.

***Wilo:** PARA, PICO, YONOS (every type)

***Grundfos:** UPM3, UPM2, ALFA 2 (every type)

Art. P.110 - ANTARES type Modulex Hybrid circulating pump with frequency modulation inverter, high-efficiency, with wet rotor. With PWM control socket, equipped with AUTO Adapt function, self-regulating with or without cable connection to PWM regulator. Flow rate max: mc/H 3,3. For non-solar systems. Power supply 230 Vac. 4-year warranty.

Max head 6 mt.						Max head 8 mt.					
Art code	Type "Hybrid"	Height H	Connections Ø	W	Price £	Art code	Type "Hybrid"	Height H	Connections Ø	W	Price £
P.110.69	UPMH 15-60-130	130	1" M.	45	53,95	P.110.89	UPMH 15-80-130	130	1" M.	65	54,85
P.110.60	UPMH 25-60-130	130	1 1/2" M.	45	53,95	P.110.84	UPMH 20-80-130	130	1 1/4" M.	65	54,85
P.110.68	UPMH 25-60-180	180	1 1/2" M.	45	54,85	P.110.80	UPMH 25-80-130	130	1 1/2" M.	65	54,85
						P.110.88	UPMH 25-80-180	180	1 1/2" M.	65	54,85
						P.110.82	UPMH 32-80-180	180	2" M.	65	59,85



PWM

NEWS ARISTON

Price **£ 61,45**

325 Vdc

Art. P.031.66

Compatible interchangeable ARISTON - TACO 325 Vdc with PWM



For boilers Alteas One NET, Cares Premium, Cares S., Cares X, Clas One, Clas X. Genus One. Ref 65116908-03

COMPATIBLE: CALEFFI, GRUNDFOS

Price **£ 1,95**



Art. P.088.00

Plastic spare plug for circulators deaerators compatible CALEFFI, GRUNDFOS and ANTARES



PWM

Price **£ 59,85**

Art. P.062.98

ANTARES circulating pump type MODULEX with mixed-plastic body and separator and automatic deaerator, with quick connections for accessory components. Modulating with same technical features of model P.110.xx. Self-regulating with and without cable connection to PWM regulator. 4-year warranty.

Connections: 1" M. Connections height 130. 230 Vac. Comes with connecting cables. Compatible with WIL0 type KU and GRUNDFOS type CACAO. With PWM socket. Max. Head: 8m.

BAYONET-FITTING NEWS

COMPATIBLE: CALEFFI, GRUNDFOS

Price **£ 2,45-**



Art. P.087.00

Spare plug for automatic deaerators with bayonet-fitting for plastic-body circulating pumps.

BERETTA
Price
£15,45



Art. S.013

Art. S.013 Heat exchanger with brazed stainless steel plates compatible for boilers BERETTA / VOKERA - RIELLO - SYLBER. Model with O-ring connections.

Art. Codice	Studs distance	No of plates	Ref code	Price £
S.013.50	148	12	R8036	15,95
S.013.54	148	14	R8036	17,85
S.013.51	148	16	R8037	19,95
S.013.58	148	20	R1957	26,95
S.013.74	160	14	22188457	15,45

BOSCH
Price
£ ----



Art. S.070

Art. S.070 - Heat exchanger with stainless steel plates. Compatible for boilers BOSCH - JUNKERS - ELM LEBLANC - Outlet holes distance: 172 x 42 - Non-concentric studs distance 172 mm.

Art code	No of plates	Price £
S.070.10	10	16,45
S.070.12	12	18,85
S.070.14	14	22,45
S.070.16	16	24,95

BOSCH

Price
£ 17,95



Art. S.095

Art. S.095 - Heat exchanger with stainless steel plates with fixing fins compatible for boilers BOSCH - BUJERUS - ELM LEBLANC.

Art code	No of plates	Price £
S.095.12	12	17,95
S.095.16	16	22,45
S.095.18	18	24,45
S.095.20	20	26,95
S.095.24	24	30,95
S.095.26	26	33,45

Price
£ 19,95



Art. S.004

Art. S.004 - ALFAMAX instant heat exchanger type XS 208 x 75, with brazed stainless steel plates. With threaded connections, compatible ALFALAVAL CB14, SWEP and ZILMET.

Art. Code	No of plates	Price £
S.004.52	12	19,95
S.004.74	14	23,95
S.004.76	16	29,95

VAILLANT

Price
£ 22,45



Art. S.061

Art. S.061 - Heat exchanger with stainless steel plates compatible for boilers VAILLANT (and other brands) with 3 quick connections and 1 threaded connection 1/2" M. Comes with gaskets

Art code	Length mm	Connect. distance mm	No of plates	Price £
S.061.01	190	154	14	22,45
S.061.20	190	154	20	28,45
S.061.40	190	154	40	46,95
S.061.14	208	172	14	25,95

Price
£ 22,85



Art. S.060

Art. S.060 - Heat exchanger with stainless steel plates compatible for boilers VAILLANT - with plate fixing fins.

Art code	No of plates	Price £
S.060.12	12	22,85
S.060.14	14	25,95
S.060.20	20	31,75

Price
£ 39,95

VISSMANN



Art. S.091.16
16-plate heat exchangers for VISSMANN boilers
Of various types Vitodens 222 WS2, Vitodens 333 WS3A/B/C, plate fixing.

Compatible HONEYWELL

Price
£ 6,85



Art. R.428

"PRESSAIR" air/gas differential pressure switch for boilers compatible "HONEYWELL" C6065.

Art code	Compatible model HONEYWELL	mbar		Price £
		on	off	
R.428.06	C6065A 1002	0,59	0,44	6,85
R.428.28	C6065A 1028	0,39	0,15	6,85
R.428.05	C6065A 1135	0,51	0,39	6,85
R.428.90	C6065A 1390	0,49	0,34	6,85

HERMANN - SAUNIER DUVAL Connection Ø 20

Price
£ 2,45



Art. E.235.02

Plastic safety valve with quick connection Ø 20 with double groove for GERMANN, SAUNIER DUVAL and VAILLANT. Threaded drain outlet 1/2" M. - 3 bar.

Compatible CALEFFI - GRUNDFOS

Price
£ 2,95



Art. E.000.03

Antares brass deaerator, medium-capacity. 3/8" M. H 47 x Ø 44 mm.

BERETTA - VOKERA - RIELLO - IMMERGAS- Other brands

Price
£ 2,55



Connection
Ø 20

Art. E.237.02

Safety valve with fast connection Ø 20 with O-ring, drain connection 1/2" F. - 3 bar.



Price
£ 2,95

Art. E.010

Art. E.010 - Brass safety valve CE compliant

Art. Code	Connections Ø	Price £
E.010.32	1/2" F.	3,35
E.010.93	1/2" M.	2,95

CALEFFI - SIME Other brands Connection Ø 20

Price
£ 1,85



Art. E.242.20

Plastic safety valve with quick connection Ø 20 mm., with O-ring, drain connection 1/2" M. - 3 bar

ARISTON - BOSCH - CHAFFOTEAUX

Price
£ 3,95



Art. E.230.01

Plastic safety valve with quick connection Ø 14 and threaded drain outlet 3/8" M. for boilers ARISTON - CHAFFOTEAUX and other brands - 3 bar.

Connection Ø 20 a SQ SAUNIER DUVAL

Price
£ 2,35



Art. E.241.20

Plastic safety valve, 3 bar, at right angle with fast connection Ø 20 with O-ring, drain connection Ø 20, for boilers SAUNIER DUVAL, ref. 0020078632.

SPECIAL PROMO BOILER INSTALLATION



Price
£ 24,95

Art. E.338.40

Kit of extensible stainless steel flex hoses from 220 mm to 400 mm, for gas boiler connection.

Composed for:

- N°1 yellow plastic flex DN 20 connections 3/4" F. swiv. x 3/4" M. for gas with NBR gasket compliant to EN 549.
- N° 2 flex DN 20 connections 3/4" F. swiv. x 3/4" M. per water heating with Fasit gaskets..
- N° 2 flex DN 12 connections 1/2" F. swiv. x 1/2" M. for domestic water with Fasit gaskets.

Stainless steel extensible flex, white-covered, compliant with standards for various connections

Art code	Diameter mm	Connections	Extensible length from		Price £
			Min. mm	Max. mm	
E.330.01	12	1/2" M. x 1/2" F.	90	130	2,95
E.330.02	12	1/2" M. x 1/2" F.	110	200	3,15
E.330.03	12	1/2" M. x 1/2" F.	220	400	3,95
E.330.22	20	3/4" M. x 3/4" F.	110	200	4,95
E.330.23	20	3/4" M. x 3/4" F.	220	400	5,95

STAINLESS STEEL COVERED,
EXTENSIBLE

Price
starting from
£ 2,95



Art. E.330



INOX ESTENDIBILE
RIVESTITO

Price
starting from
£ 3,95

Art. E.333

Stainless steel extensible flex, yellow-covered, compliant with standards for various gas piping connections compliant to UNI 11353. With gasket.

Art code	Ø mm	Connections	Extensible length from		Price £
			Min. mm.	Max mm.	
E.333.02	12	1/2" M. x 1/2" F.	110	200	3,95
E.333.03	12	1/2" M. x 1/2" F.	220	400	4,75
E.333.21	20	3/4" M. x 3/4" F.	90	130	4,95
E.333.22	20	3/4" M. x 3/4" F.	110	200	5,25
E.333.23	20	3/4" M. x 3/4" F.	220	400	6,95



Art. B.000

Price
starting from £ 3,75

Gas filter for domestic installations, in inspectionable aluminium.

Prevents passage of dust particles or residues, protecting safety and control devices, compliant to DIN - DVGW. Max pressure: 2 bar

Diameter Ø	1/2"	3/4"	1"
Art code	B.000.02	B.000.03	B.000.04
Price £	3,75	3,85	3,95



Art. B.002

Price
starting from £ 9,95

Aluminium pressure stabilizer for gas, compliant to European directives.

Max pressure: inlet 500 mbar - outlet from 10 to 30 mbar.

Diameter Ø	1/2" FF.	3/4" FF.	1" FF.
Art code	B.002.02	B.002.03	B.002.10
Price £	9,95	10,45	11,95

SPECIAL PROMO THERMOREGULATION



Price
starting from
£ 21,95

Art. T.080

Brass motorized zone valves "HOTWELL" 230V - 50Hz

Normally closed, in the absence of voltage it returns to closed. Equipped with lever for manual opening.

Art code	Type	Connections	Price £
T.080.03	2-VIE	3/4" F. x 3/4" F.	21,95
T.080.33	3-VIE	3/4" F. x 3/4" F. x 3/4" F.	24,95
T.080.43	3-VIE	3/4" M. x 3/4" M. x 3/4" M.	31,95
T.080.30	3-VIE	1" F. x 1" F. x 1" F.	32,95



Price
£ 9,85

Art. R.103.05

Spare gear-motor for zone valves. HONEYWELL, MUT, ORKLI and other brands. 230 V.



Price
£ 59,95

Art. T.095

Art. T.095 - Modulating thermoregulator integrated into the servomotor complete with 3-way brass mixing valve and temperature probe.

Art code	T.095.12	T.095.20
Measure	DN 25	DN 32
Kv valve	10	18
Connect. Ø	1 1/2" F. swiv. x 1 1/2" M. x 1" M.	2" F. swiv. x 2" M. x 1 1/4" M.
Price £	59,95	74,95



Price
£ 45,75

Art. E.147

Art. E.147 - 4-way brass thermostatic mixing valve adjustable 25°-55°C with pump connection 1 1/2" F swivel - Flow KV 3,5.

Connect. Ø	3/4" F. x 3/4" F. x 3/4" F. x 1 1/2" F. gir.	1 1/2" M. x 1 1/2" F. gir. x 1" M.
Art code	E.147.12	E.147.32
Price	45,75	54,95



Price
£ 5,95

Art. T.001.57

Room thermostat - Range 10°C ÷ 30°C - 3 10A Switch contacts.

WIFI CHRONOTHERMOSTAT

For underfloor heating systems with probe included

Price
£ 29,75



Art. T.440

Art. T.440 - Digital touchscreen room chronothermostat "INTRON" mounted on a 3 or 4-spot box with daily and weekly programming.

Art code	Type	Price £
T.440.23	-	----
T.440.53	WiFi	----

